Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	968	ferroelectric and (capacitor$1 same switch$3) and (pulse$1 same voltage$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:12
L2	276	ferroelectric and (capacitor$1 same switch$3) and (pulse$1 same voltage$1 same negative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:11
L3	130	ferroelectric and (capacitor$1 same switch$3) and (pulse$1 same voltage$1 same magnitude$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:11
L4	46	ferroelectric and (capacitor$1 same switch$3) and (pulse$1 same voltage$1 same magnitude$1 same negative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:11
L5	50	ferroelectric and (capacitor$1 same switch$3) and (pulse$1 same voltage$1 same negative same plate$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:11
L6	1	ferroelectric and (capacitor$1 same switch$3) and (pulse$1 same voltage$1) and ('zero' with cancell$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:13
L7	383	1 and ("365"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:13
L8	138	2 and ("365"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:13
L9	69	3 and ("365"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:13

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(method$1 and ferroelectric and capacitor$1 and voltage$1 and ((plate near line$1) or plateline$1) and tim$3 and cancell$5).clm.	US-PGPUB	OR	OFF	2005/09/01 17:08
L2	1	(capacitor$1 and switch$3 and voltage$1 and ((plate near line$1) or plateline$1) and pulse$1 and cancell$5).clm.	US-PGPUB	OR	OFF	2005/09/01 17:11
L3	1	(ferroelectric and capacitor$1 and switch$3 and voltage$1 and ((plate near line$1) or plateline$1) and pulse$1 and cancell$5).clm.	US-PGPUB	OR	OFF	2005/09/01 17:12